8/07/0043 TASK 3182 cc: wayne

**Martinique Mining Corporation** 

2784 Jefferson Ave.

RECEIVED SEP 2 4 2009

Ogden, Utah 84403

DIV. OF OIL, GAS & MINING

801-891-5932

\_\_September 20, 2009

To: Paul Baker

Utah Division of oil, gas, & mining

Salt Lake City, Utah

#### NOTICE OF INTENTION TO COMMENCE SMALL MINING

Mr. Baker.

Please find enclosed our Notice of intention to commence small mining form. This notice concerns our existing May Day Mill site in upper crescent creek, Henry Mountains, in eastern Garfield County. Utah DOGM permit or project # S/017/043. Currently the site encompasses 2.56 acres disturbance and has bonding in place for that disturbance with the division. The division has asked that we provide an updated N.O.I. for the existing file purposes, and attached here to for is this updated existing NOI. Also included are proper maps associated with the permit site also for upgrading the existing file #S/017/043.

We have completed dismantling the older outdated processing mill upon the site. We still have a small amount of materials that we are continuing to remove from the site. Outer perimeter soil grooming and smoothing has been conducted and revegatation of some of those are moving forward.

Our intent at this time is to ask BLM and Division of oil, gas, & mining, for an occupancy permit to install small mobile container systems, (1) mobile office, (1) mobile RV camper unit, and (2) 20' x 40' mobile tank mud pit containers, (to be used as replacements for tailings ponds at the processing area. (Please see attached mill flow sheet and May Day mill mapping).

We would also like to install a 2 inch plastic water line from our existing reservoir to the mill site which would require 400 feet of trenching. This will require a trenching excavation from the reservoir to the inside of the structure. We would like to bury the pipeline at 3 feet as to protect it from the winter freezing temperatures that we encounter at our elevation.

Equipment on site will include:

- (1) Komatsu 815 skid steer rubber tire loader, with fork attachments. (This unit will operate inside the mill site and on site loading and unloading test samples and materials).
- (2) Komatsu PC-200 excavator (on site for trench and water line excavation).

#### (3) Komatsu WA 200 rubber tire loader (for mill operations and trench reclamation)

The trench system would be installed within the access road from the mill to the reservoir which is existing. The trench would extend 400 feet from the spillway area of the primary reservoir along the access road, to the central part of the May Day mill site.

Please review the attachments which include all mapping and engineering aspects of this revision to our existing permit concerning this site.

Thank you for your time and considerations sir, we look forward to working with you concerning our upcoming and exciting development of our project.

Kim E. Wilson

**CEO/President** 

**Martinique Mining Corporation** 

Ki S. Will

**Henry Mountain Project** 

Cc Buzz Rakow BLM

Here are some data figures of all the processing equipments we have on site that are replacing the existing mill system that we have had in place since 1998. I will try to be specific with truck loads it would take to remove all items from the mill set. This may help with bonding calculations as best as I can.

Please refer to the attached mill flow sheet which is the same as the existing flow sheet we have on file with the division. We are upgrading equipment only, and not changing the existing flow sheet. The old equipments have been removed and new up to date equipment is on site at present that will continue to operate at 30 tons per hour or 300 tons per shift.

Only 1 alteration to this flow sheet has been designed and that is the tailings ponds. We propose to eliminate the existing tails pond system and replace with fully sealed metal container style mobile "mud pit" design, similar to oil field mobile use. All tailings will be collected and laboratory tested, and then transported back to the mine of origin for reclamation uses. Studies have concluded in the past which have been done by the State that tailings from gravity separation techniques at our site contain no contaminates and are usable for reclamation soils.

- 1. The mill flow sheet calls for hopper feeder systems, crushing systems, screening systems, and concentration machines. Total low boy or heavy load handler truck loads of this mill would include 8 fully loaded diesel transports, which have cost \$250.00 per transport from Hanksville, Utah.
- 2. The 2 40 foot containers, and the 2 40 foot mud sump tails pond units, would require an additional 4 transports at the same cost.
- 3. The mobile office and the RV unit can be removed with simple pick-up style vehicles.
- 4. Misc. costs would be all labor involved in decommissioning the equipments, which is somewhat minimal as all mill systems are skid mounted and mobile.

If I can help any further please give me a call or e-mail anytime.

Regards,

Kim E. Wilson

**Martinique Mining Corporation** 

801-891-5932

Form MR-SMO	
(Revised March 13, 2007)	

1.

This Section for DOGM Use: Assigned DOGM File	No.: <u>S</u>
DOGM Lead:	
Permit Fee \$	Ck #

# STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

RECEIVED SEP 2 4 2009

1594 West North Temple Suite 1210 Box 145801

DIV. OF OIL, GAS & MINING

Salt Lake City, Utah 84114-5801

Telephone: (801) 538-5291 Fax: (801) 359-3940

## NOTICE OF INTENTION TO COMMENCE SMALL MINING OPERATIONS

The informational requirements of this form are based on provisions of the Mined Land Reclamation Act, Title 40-8, Utah Code Annotated 1987, and the General Rules as promulgated under the Utah Minerals Regulatory Program.

"Small Mining Operations" mining operations which have a disturbed area of five or less surface acres at any time.

ornali Militing Operations Trilling operations which have a disturbed area of the or loss out toos actions are any			
	* * * * * * *		
GE	NERAL INFORMATION (Rule R647-3-104)		
1.	Name of Mine: CRESCENT CREEK MAY DAY MILL S/017/043		
2.	Legal name of entity (or individual) for whom the permit is being requested:  MARTINIQUE MINING CORPORATION  Mailing Address: 2784 JEFFERSON AVENUE  City, State, Zip: OGDEN, UTAH 84403  Phone: 801-891-593Z Fax: 801-393-5329  E-mail Address: MARTINIQUE MINING 3 ADL. COM		
	Type of Business: Corporation (X) LLC ( ) Sole Proprietorship (dba) ( ) Partnership ( ) General or limited Or: Individual ( )		
	Entity must be registered (and maintain registration) with the State of Utah, Division of Corporations (DOC) <a href="https://www.commerce.utah.gov">www.commerce.utah.gov</a> .  Are you currently registered to do business in the State of Utah?  The state of Utah?  The state of Utah is a registered to do business in the State of Utah?  The state of Utah is a registered to do business in the State of Utah is a registered to do busine		
	Local Business License # (if required)  Issued by: County or City		
3.	Contact Person(s) Name: Kim E. Wilson Title: President / CEO Address: P.o. Box 1070 City, State, Zip: SPRINGVILLE, UTAH 84663 Phone: 801-891-5932 Fax: 801-491-0439 Emergency, Weekend, or Holiday Phone: 801-891-5932 CELL		
Contact apply)	E-mail Address: KEWILSON 50 @ GMAIL. COM  person to be notified for: permitting (y) surety (y) Notices (y) (please check all that		

Name: DAN	E. VAUGH	LAL LA	Title CEP !	TREASURER
Address: 27	34 JEFFER	SON AVE.	THE DECT	TREMOUKER
Phono: SOL-	OGDEN.	LTAH RYYOS		
1 11011G	45 1-71154			9
E-mail Address:	ekend, or Holic	day Phone: <u>801 - 5</u>	51-0133	
- mail Addiess.	- SIXIAA	COBRA @ AOI	COM	
Contact person to be no apply)	otified for: pe	rmitting ( ) surety	(v) Notices (v	(please check all that
Registered <u>Utah</u> leave blank): Name: <u>DA</u>	Agent (as iden	ntified with the Utah	Department of	Commerce) (if individual
Address: 278	U TEFEED	SOLIVER		
E-mail Address: _	MARTINIO	PARMINING D	-393-53	29
			ADL.COM	
If Business is a :	Sole Proprieto	or:		
Name of Owner:_			Tial.	
			ritte:	
City, State, Zip: _	N/	A		
Pnone:		Fax:		
E-mail Address: _				
		O. HOGGATT	rite: Title:	Resident   CEO EC/Treasurer DIRECTOR
Headquarters Addr	PSC 2794	JEFFERSON	A1.4	
Try, Clate, Zill.		/ TAIL ##1141 A:	T0	
i reaudualleis Phor	10. XVI~36	コマー グラムツ		393- <i>5</i> 329
E-mail Address:	MARTINIO	RUE MINIME A	Fax. 801-	<u> 393-<i>5</i>329</u>
<b>FD</b>			NOC . COM	
If Business is a Lin Name of 1 <sup>st</sup> Member	ited Liability	Company: Membe	r Managed - N	Janagor Monaga
Name of 1 <sup>st</sup> Member Business Address:	/Manager:		Title:	Manager Manager =
City, State, Zip:				
Phone:	N/A			
E-mail Address:		Fax:		
Name of 2 <sup>nd</sup> Member Business Address:	/Manager			
Business Address:	manager,			
City, State, Zip:	N/A			
Phone:		Fax:		
E-mail Address:		rax		
If Business is a Part				
Name of Partner:	netzuib:			
Business Address:				
City, State, Zip:	NA			
Phone:		Fax:		
E-mail Address:		rax <u>.</u>		

5.	Ownership of Land Surface	}
		main (BLM)  National Forest (USFS)  State Sovereign Lands
	Name Francis RAKOW	B.L.M. HENRY MT. FIELD OFFICE Address P.O. BOX 99 Hanksukle, LTAH 84734
	Name	Address
	Maille	Address
	Name	Address
6.	Ownership of Minerals:	
	Other (please describe): PRIVI	nain (BLM) National Forest (USFS) Sons State Sovereign Lands MINCRAL CLAIMS
	Name MinING Corp.	Address 2784 Selerson AVE. Ogden, UT 84403
	Name	Address
	Name	Address
	Name	Address
	BLM Lease or Project File Num  UTU 71638	ber(s) and/or USFS assigned Project Number(s):
	BLM Claim Numbers LMC	
	Utah State Lease Number(s):	
7.		
•	Yes	nineral owners been notified in writing?
	If no, why not?	
<b>5</b> 1 .		
Exploration Lands Ad	on or mining activity on State Trust	are involved, notification to the Division of Oil, Gas and n requirements of Mineral Leases upon State Trust Lands. Lands requires a minimum of 60 days notice to the Trust any activities. Please contact the School Institutional Trust 5508 for notification requirements.
8.	Does the Entity have legal right covered by this notice? Yes_	t to enter and conduct mining operations on the land

6.	■ New Road(s): Length O (ft) Width O (ft)
7. existing re improvem	■ Improved Road(s): Provide a description of the improvements that need to be made to bads to access the site, including the Length (ft) and Width (ft) of lents.
8.	Total project surface acreage to be disturbed: 2.56 (acres) PLEASE SPECIFY EXACT ACREAGE - (this will be used to determine surety bond amount – see #VI).
9.	Proposed startup date (month, year) Sept 30, 2009
10.	Proposed completion date, if known (month, year)

#### IV. OPERATION AND RECLAMATION PRACTICES (Rule R647-3-107, 108 & 109)

The reclamation and operation obligation is to keep the area clean and safe, minimize hazards to public safety, return the land to a useful condition, and reestablish at least 70 percent of the premining vegetative ground cover. To accomplish this, the Permittee / Operator will need to perform reclamation concurrently, or at the completion (within one (1) year) of mining. Please refer to The Practical Guide to Reclamation in Utah, available at <a href="https://www.ogm.utah.gov.">www.ogm.utah.gov.</a>

- 1. Keep the mining operation in a safe, clean, and environmentally stable condition.
- 2. Permanently seal all shafts and tunnels to prevent unauthorized or accidental entry.
- 3. Plug drill holes with a five foot cement surface plug. Holes that encounter fluids are to be plugged in the subsurface to prevent aquifer contamination.
- 4. Construct berms, fences, or barriers, when needed, above highwalls and excavations.
- Remove, isolate, or neutralize all toxic materials in a manner compatible with federal and state regulations.
- 6. Remove all waste or debris from stream channels.
- 7. Dispose of any trash, scrap metal, wood, machinery, and buildings.
- 8. Conduct mining activities so as to minimize erosion and control sediment.
- Reclaim all roads that are not part of a permanent transportation system.
- 10. Stockpile topsoil and suitable overburden prior to mining.
- 11. Stabilize highwalls by backfilling or rounding to 45 degrees or less, where feasible; reshape the land to near its original contour, and redistribute the topsoil and suitable overburden.
- 12. Properly prepare seedbed to a depth of six inches by pocking, ripping, discing, or harrowing. Leave the surface rough.
- Reseed disturbed areas with adaptable species. (The Division recommends a mixture of species of grass, forb, and browse seed, and will provide a specific species list if requested.)
- Plant the seed with a rangeland or farm drill, or broadcast the seed. Fall is the preferred time to seed.

***	(Rule R647-3-105)
1.	Project Location (legal description):
	County(ies): _CRESCENT CREEK / HENRY MTS. / GARFIELD COUNTY
	Nω       1/4, of       Nω       1/4: Section:       31       Township:       31:S       Range:       11 €.         —       1/4, of       1/4: Section:       Township:       Range:       Range:         —       1/4, of       1/4: Section:       Township:       Range:
	UTM East(if known) UTM North(If known)
	Name of Quad Map for Location: RAGGY CANYON UTAH
2.	Location and Operations maps must be plotted at a scale to accurately identify locational landmarks and operations details. All maps must include a north arrow, scale, appropriate labels, and title box including the mine name, township, range and section.  a. The general location map must be the scale of a USGS 7.5 minute series map or equivalent (1"=2000') and identify new or existing access roads.  b. The operations map (1"=200' or other scale as determined necessary by the Division) must be labeled and identify:  i. The area to be disturbed;  ii. The location of any existing or proposed operations including access roads, drill holes, trenches, pits, shafts, cuts, or other planned activities; and  iii. Any adjacent previous disturbance for which the operator is not responsible.  (Contact the Division for a list of consultants and land surveyors for mapping assistance.)
3.	The proposed (5 acre or less) disturbed area (including access/haul roads) should be marked in the field ON THE GROUND with metal T-Posts (or with some other marker of equal effectiveness). Markers should be appropriately spaced so that the next marker in either direction is clearly visible with the naked eye.
111.	OPERATION PLAN (Rule R647-3-106)
1.	Type of mining: Surface ■ Underground ■
2.	Mineral(s) to be mined: GOLD. COPPER. (PRECIOUS METALS)
3.	Amount of material to be extracted, moved, or proposed to be moved:  300 TONS PER DAY
4.	Will any water, liquid chemicals, reagents, or other solutions be used, produced or discharged as part of the mining or milling process?  Yes  No  V  If yes, please describe (add extra pages if needed)
5.	Provide a brief description of the proposed mining operation and onsite processing facilities (add extra pages if necessary). GRAVITY SEPERATION PLOT MILL PROCESSING 30 TONS Per hour as specified in Permit S017043 PROCESS WILL BE fully closed Loop with No water Discharge / TRILINGS WILL be transported Back To Mines
om MR-SN	THE PARTY OF THE PROPERTY OF THE PARTY OF TH

### V. <u>VARIANCE REQUEST</u> (Rule R647-3-110)

Any variance request must be approved in writing by the Division

Any planned deviations from Rules R647-3-107, Operation Practices, R647-3-108, Hole Plugging Requirements, or R647-3-109, Reclamation Practices, as summarized above (see IV. Operation and Reclamation Practices Item # 1-14), should be identified below listing applicable rule number. Give justification for the variance(s) and alternate methods or measure to be utilized. Written approval from the Division will be given, if the proposed alternative methods to be used are consistent with the Act.

1 <sup>st</sup> Variance Re	quested
Item# Justification:	Applicable Rule # (i.e. R647-3-109.10 (if you did not want trenches & pits reclaimed)
Alternate metho	ods or measure to be utilized:
2 <sup>nd</sup> Variance Re	quested
Item# Justification:	Applicable Rule #
Alternate metho	ds or measure to be utilized:
3 <sup>rd</sup> Variance Re	quested
Item# Justification:	Applicable Rule #
Alternate metho	ds or measure to be utilized:
tach additional pa	ge if more variances are requested.
SURETY (	Jtah Code Ann. §40-8-7(1)[c])
mmencement c	ntract and surety must be provided to and approved by the Division prior of operations. All mining operations are required to furnish and maintain to guarantee that the land affected is reclaimed (Utah Code Ann. §40-8-7(1)[c
The amoun guide, along every three upon accep	ation surety amount is based on the nature, extent and duration of operations. Its are based on data from current large mine surety and are used as a general with actual site conditions. Reclamation surety for small mines is reviewed (3) or five (5) years and adjusted as necessary for inflation/deflation based table Costs Index. Contact the Division for the dollar amount required for five (5) year period for this project.
Certificate of Dep	ll provide surety in the form of: osit ■ Letter of Credit ■ Surety Bond
n MR-SMO	Dave 6

# VII. PERMIT FEE (Utah Code Ann. §40-8-7(1)(i))

A permittee's authorization under a notice of intention to conduct small mining operations shall require the paying of permit fees as authorized by the Utah Legislature (R647-3-102.5). Permit fees are assessed to <u>new</u> and <u>existing</u> small mining operations, and annually thereafter, until the project disturbances are successfully reclaimed by the Permittee / Operator and released by the Division.

Small Mine Notices require a \$150.00 fee, which must accompany this application, or the Division cannot process it.

VIII.	SIGNATURE REQUIREMENT

(Please chec	k the box if applicable and place your initials on the line provided)
<u> </u>	I have enclosed the required permit fee.
	I have enclosed/requested a Reclamation Contract (Form MR-RC) and the appropriate reclamation surety amount or have made arrangements as to when the surety will be furnished.
	I understand that I am not authorized to create any surface disturbance until the surety amount is posted and approved in writing from the Division of Oil, Gas and Mining and any other authorized regulatory agency.


#### CERTIFICATION


I state under penalty of perjury under the laws of the state of Utah and the United States of America that:

- a. I have read this form and declare the information, statements and/or documentation are true, correct and complete to the best of my knowledge and belief; AND
- b. I commit to the reclamation of the aforementioned small mining project as required by the Utah Mined Land Reclamation Act (40-8) and the rules as specified by the Board of Oil, Gas and Mining.
- c. This certification must be signed by: (1.) an executive officer if the applicant is a corporation; (2.) a partner if applicant is a partnership (general or limited); (3.) the owner if applicant is a sole proprietorship; or (4.) the member or manager if applicant is a limited flability company.


Signature: K. E. W.L.	Date: Sept 70th 2009
Name (typed or printed): Kim E. Wilson	
Title/Position (if applicable): President / CEO	

P:\GROUPS\MINERALS\WP\FORMS\Notices\Final\smo-03132007.doc





# Cresent Creek/ Mayday Mill S/017/043 Martingue Mining Community



Cresent Creek/Mayday Mill

Raggy Mountain Quadrangle SW1/4,SW1/4 of Sec 30, T31S, R11E NE1/4, NW1/4 of Sec 31, T31S, R11E

This product may not meet DOGM standards for accuracy and content. Different data sources and input scales may cause some misalignment of data layers.



